

# PureDri

## A NEW GENERATION OF WASHROOM HYGIENE TECHNOLOGY

Continuously sanitizes  
air & surfaces

---

Economic jet dry hand dryer

---


Eliminates unpleasant odors

---

Focused sanitizing for users

---

Exceptional energy efficiency





## UTILIZING BEST-IN-CLASS SANITIZING TECHNOLOGY

The PureDri provides a triple action defence against the spread of bacteria, mold, viruses and odors in washrooms.

Designed to deliver three points of infection control, fast-dry hand drying and exceptional energy efficiency, the PureDri will substantially reduce contamination risk whilst creating cleaner, fresher smelling and more sustainable washroom environments.

**Washroom sanitization** – Provides 24/7 protection by neutralising bacteria, viruses, mold and fungi in washroom spaces up to 100ft<sup>2</sup>.

**Efficient hand drying** – A powerful jet-dry hand drying function that's run by an ultra-efficient 200-watt motor.

**User protection** – For enhanced hygiene, a unique protective plasma shield surrounds the user during use with a focused plasma blast onto hands after the hand drying cycle.

**UK laboratory tested** – Efficacy data provided by top UK testing facilities including Profectus, Campden BRI and ALS Group.

## DESIGNED TO REDUCE RISK AT EVERY STAGE

PureDri emits a highly efficacious sanitizing plasma that is formed of hydroxyl radicals and super-oxide ions that is proven to eliminate 99.8% of airborne and surface micro-organisms and substantially reduce unpleasant odours.

The PureDri sanitizing plasma is effective against:



CORONAVIRUSES



COMMON COLD



FLU



E. COLI INFECTION



URINARY TRACT INFECTION



STREP THROAT

99.8%

Airborne viruses eliminated in 75 minutes

74.1%

Airborne viruses eliminated in 5 minutes

99.8%

Surface bacteria eliminated in 4 hours

11%

Reduction in bacteria after washing

24/7

Continuous protection

## CREATES A HOSTILE ENVIRONMENT FOR HARMFUL PATHOGENS



### STEP 1. WHEN A PATRON ENTERS THE WASHROOM

PureDri has eliminated **99.8%** of airborne and surface micro-organisms. The entire washroom has been sanitized and is hostile to pathogens.



### STEP 2. PATHOGENS ARE INTRODUCED TO THE WASHROOM

PureDri is continuously emitting a plasma to eliminate pathogens. **74.1%** of airborne particles are eliminated in less than 5 minutes.



### STEP 3. PATRONS WASH HANDS THEN MOVE TO A PUREDRI

PureDri emits a focused plasma shield surrounding the user whilst the jet speed dryer uses sanitized air to dry hands thoroughly over a 20 second dry cycle.




### STEP 4. FOCUSED PLASMA ONTO THE USERS HANDS

A focused 6 second blast of plasma onto hands to eliminate pathogens that may not have been removed by hand washing. Proven to reduce bacteria count by a further **11%**.

WATCH OUR VIDEO>

Our explainer video tells you all you need to know about the technology utilized in PureDri.





## RUNNING COST & SUSTAINABILITY

# \$36

### ANNUAL RUNNING COST

Based on 100 uses per day,  
365 days per year

# \$694

### SAVINGS VS PAPER TOWELS

Based on paper towel cost  
of 1 cent per towel

# 353lbs

### SAVED FROM LANDFILL

How much one dispenser will  
send to landfill each year

## TECHNICAL SPECIFICATIONS

Dimensions	10 $\frac{5}{8}$ " wide x 32 $\frac{3}{32}$ " high x 3 $\frac{15}{16}$ " deep
Weight	20.3 lbs
Electrical Supply	110/240 volts 50/60 Hz
Current Consumption	1.7 Amps @ 115 Volts / 0.9 Amps @ 230 Volts
Room Sanitizing / Dryer Standby Current Consumption	0.19Amps @ 115 Volts / 0.14 Amps @ 230 Volts
Nominal Output	213 - 202 watts
Drying Speed	Fast Dry
Operation	Room Sanitizing: Continuous Hand Drying & Sanitising: Automatic, infrared, no touch
Sensor Range	4" vertically under outlet
Air Volume	112 ft <sup>3</sup> /h
Air Velocity	164 ft/s @ 4"
Air Outlet Temperature	86°F @ 68°F ambient
Noise Level	85 dBA
Door Colour	Brushed Stainless Steel
End Cap Colours	White (standard)
Installation	Wall mounted vertical
Lamp Options	0mg Non Ozone lamp as standard
Warranty	5 years



# PureDri

AIRDRI.COM  
PUREDRI@AIRDRI.COM